## STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

					ION OF OIL				AMENDED REP	ORT		
APPLICATION FOR PERMIT TO DRILL								1. WELL NAME and NUMBER Chapita Wells Unit 1572-26D				
2. TYPE OF WORK  DRILL NEW WELL REENTER P&A WELL DEEPEN WELL (							3. FIELD OR WILDCAT NATURAL BUTTES					
4. TYPE OF WELL  Gas Well Coalbed Methane Well: NO								5. UNIT or COMMUNITIZATION AGREEMENT NAME CHAPITA WELLS				
6. NAME OF OPERATOR  EOG Resources, Inc.								7. OPERATOR PHONE 435 781-9111				
8. ADDRESS OF OPERATOR  1060 East Highway 40, Vernal, UT, 84078								9. OPERATOR E-MAIL kaylene_gardner@eogresources.com				
10. MINERAL LEASE NUMBER (FEDERAL INDIAN OR STATE)							P 12. SURFACE OWNERSHIP STATE FEE FEDERAL INDIAN STATE FEE					
												13. NAME
15. ADDR	ESS OF SURFA	CE OWNER (if box	16. SURFACE OWNER E-MAIL (if box 12 = 'fee')									
17. INDIA	N ALLOTTEE (	OR TRIBE NAME		18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS				19. SLANT  VERTICAL DIRECTIONAL HORIZONTAL				
(if box 12	= 'INDIAN')			YES (Submit Commingling Application) NO								
20. LOCATION OF WELL F			FC	OTAGES	Q	TR-QTR	SECTION	TOWNSHIP	RANGE	М	ERIDIAN	
LOCATION AT SURFACE			283 FN	283 FNL 2118 FEL		NWNE	26	9.0 S	22.0 E		S	
Top of Uppermost Producing Zone			352 FS	52 FSL 2263 FEL		SWSE	23	9.0 S	22.0 E		S	
At Total Depth 39			352 FS	2 FSL 2263 FEL		SWSE	23	9.0 S	22.0 E		S	
21. COUN		UINTAH		22. DISTANCE TO NEAREST LEASE LINE (Feet) 352				23. NUMBER OF ACRES IN DRILLING UNIT 2440				
				25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 470				<b>26. PROPOSED DEPTH</b> MD: 9444 TVD: 9355				
27. ELEVA	TION - GROU	<b>ND LEVEL</b> 4957		28. BOND NUMBER  NM 2308				29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 49-225				
String	Hole Size	Casing Size	Length	Weight	Grade &		Max Mud Wt.		Sacks	Yield	Weight	
Surf	12.25	9.625	0 - 2250	36.0	J-55 S	51&C	0.0	Type III Type V	135	4.1 1.18	10.5 15.6	
Prod	7.875	4.5	0 - 9444	11.6	N-80	LT&C	10.5	Light (Hibono		1.61	12.5	
								50/50 Poz	795	1.47	13.5	
ATTACHMENTS												
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES												
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER COMPLETE DRILLING PLAN												
AFF	IDAVIT OF ST	ATUS OF SURFACE	E OWNER AGRE	EMENT (IF FEE SURFACE) FORM 5. IF OPERATOR				R IS OTHER THAN THE LEASE OWNER				
DRILLED)		RVEY PLAN (IF DI	IRECTIONALLY	OR HORIZONTALLY TOPOG			OGRAPHICAL MA	RAPHICAL MAP				
NAME Na	nette Lupcho		ттты	E Regulatory Assistant PHONE 435 7			<b>PHONE</b> 435 781	:1-9157				
SIGNATURE DATE				E 11/03/2011 EMAIL Nane			EMAIL Nanette_	te_Lupcho@EOGResources.com				
	<b>ber assigne</b> 47521460		APPR	PPROVAL								
				Permit Manager								

## EOG RESOURCES, INC. T9S, R22E, S.L.B.&M. Well location, CWU #1572-26D (SURFACE LOCATION), located as shown in the NW 1/4 NE 1/4 of Section 26, T9S, R22E, S.L.B.&M., Uintah County, Utah. BOTTOM HOLE () S89°57'00"W 1977 Brass Cap 1977 Brass Cap S89°56'44"W - 2653.38' (Meas.) 2652.95' (Meas.) Brass Cap 2118' BASIS OF ELEVATION CWU #1572-26D (Meas. Elev. Ungraded Ground = 4957' ™ BENCH MARK 20EAM LOCATED IN THE SE 1/4 OF SECTION 35, T8S, R21E, S.L.B.&M. TAKEN FROM THE OURAY SE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 4697 FEET. THE PROPOSED BOTTOM HOLE FOR THIS WELL IS LOCATED IN THE SW 1/4 SE 1/4 OF SECTION LINE TABLE 23, T9S, R22E, S.L.B.&M. AT A DISTANCE OF NO0"14"12 352' FSL 2263' FEL. IT BEARS N13'06'49"W LINE **BEARING LENGTH** 651.96' FROM THE PROPOSED WELL HEAD. L1 N13°06'49"W 651.96 Brass Cap S62°12'18"E 606.24 ~445.50' (G.L.O.) 26 1977 Brass Cap 0.8' High, Pile of Stones 3083. SCALE CERTIFICATE THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED 743"W FIELD NOTES OF ACTUAL SURVEYS MAN BY ME OR UNDER MY SUPERVISION AND THAT THE SAME AND TRUE AND CORRECT NO0.05,20,"W BEST OF MY KNOWLEDGE AND BELIEF 1977 Brass Cap 0.4' High, Steel Post, Pile of Stones Brass Cap Brass Cap UINTAH ENGINEERING & LAND SURVEYING S89°53'21"W - 2663.95' (Meas.) S89°45'12"W - 2650.56' (Meas.) 85 SOUTH 200 EAST - VERNAL UTAH 84078 BASIS OF BEARINGS (435) 789-1017BASIS OF BEARINGS IS A G.P.S. OBSERVATION. DATE SURVEYED: SCALE DATE DRAWN: \_EGEND: 1" = 1000'09-01-10 09 - 16 - 10NAD 83 (SURFACE LOCATION) REFERENCES PARTY LATITUDE = $40^{\circ}00'48.46"$ (40.013461) = 90° SYMBOL G.S. M.D. LONGITUDE = $109^{\circ}24'19.13"$ (109.405314) J.M. G.L.O. PLAT = PROPOSED WELL HEAD. NAD 27 (SURFACE LOCATION) WEATHER FILE LATITUDE = $40^{\circ}00'48.58''$ (40.013494) WARM = SECTION CORNERS LOCATED. EOG RESOURCES, INC. LONGITUDE = $109^{\circ}24'16.67''$ (109.404631)

